

TYPO3 Backend optimal konfigurieren mit TSconfig

TYPO3 Akademie 2009
München

Jochen Weiland
jweiland.net

jweiland.net



Donnerstag, 23. April 2009




Donnerstag, 23. April 2009

Admin Panel



Backend Module



User Optionen



Formulare



User Einstellungen



Rich Text Editor



weiland.net



Admin Panel

335	2	NUMROWS: 0																								
337	0	Cached from DB																								
337	0 +10 =10	<div>[page.10.subparts.rootline.1][page.10.subparts.rootline.2]</div>																								
337	10	<p>Sie sind hier: TYPO3</p>																								
347	0	<p class="telno">Servicetelefon 0800 - 8976326 (kostenlos)</p>																								
347	33 +1 =34	<table border="1"> <tr> <td>0</td><td>query</td><td> <pre>SELECT * FROM pages WHERE plid=1 AND pages.deleted=0 AND (pagesstarttime<=1240607040) AND (pagesendtime=0 OR pagesendtime>1240607040) AND NOT (pages.t3ver_state>0) AND pages.doktype<200 AND (pages pages.fe_group IS NULL OR pages.fe_group='0' OR (pages.fe_group LIKE '%,0,%' OR pages.fe_group pages.fe_group LIKE '%,0' OR pages.fe_group='0') OR (pages.fe_group LIKE '%,-2,%' OR pages.fe_group OR pages.fe_group LIKE '%,-2' OR pages.fe_group=' -2') OR (pages.fe_group LIKE '%,1,%' OR pages '1,%' OR pages.fe_group LIKE '%,1' OR pages.fe_group='1')) ORDER BY sorting</pre> </td></tr> <tr> <td>trall</td><td></td><td> <pre>require#76 // include#446 // TSpagegen::renderContent#77 // tslib_cObj->cObjGet#332 // tslib_cObj->cObjGetSingle#444 // tslib_cObj->TEMPLATE#578 // tslib_cObj->cObjGetSingle#2473 // tslib_cObj->HMENU#535 // tslib_menu->makeMenu#1390 // tslib_pageSelect->getMenu#830 // t3lib_DB->exec_SELECTquery#442 // t3lib_DB->explain#237</pre> </td></tr> <tr> <td>row_count</td><td>7</td><td></td></tr> <tr> <td>explain</td><td>0</td><td> <table border="1"> <tr> <td>Id</td><td>1</td></tr> <tr> <td>select_type</td><td>SIMPLE</td></tr> <tr> <td>table</td><td>pages</td></tr> <tr> <td>type</td><td>ref</td></tr> <tr> <td>possible_keys</td><td>parent</td></tr> <tr> <td>key</td><td>parent</td></tr> </table> </td></tr> </table>	0	query	<pre>SELECT * FROM pages WHERE plid=1 AND pages.deleted=0 AND (pagesstarttime<=1240607040) AND (pagesendtime=0 OR pagesendtime>1240607040) AND NOT (pages.t3ver_state>0) AND pages.doktype<200 AND (pages pages.fe_group IS NULL OR pages.fe_group='0' OR (pages.fe_group LIKE '%,0,%' OR pages.fe_group pages.fe_group LIKE '%,0' OR pages.fe_group='0') OR (pages.fe_group LIKE '%,-2,%' OR pages.fe_group OR pages.fe_group LIKE '%,-2' OR pages.fe_group=' -2') OR (pages.fe_group LIKE '%,1,%' OR pages '1,%' OR pages.fe_group LIKE '%,1' OR pages.fe_group='1')) ORDER BY sorting</pre>	trall		<pre>require#76 // include#446 // TSpagegen::renderContent#77 // tslib_cObj->cObjGet#332 // tslib_cObj->cObjGetSingle#444 // tslib_cObj->TEMPLATE#578 // tslib_cObj->cObjGetSingle#2473 // tslib_cObj->HMENU#535 // tslib_menu->makeMenu#1390 // tslib_pageSelect->getMenu#830 // t3lib_DB->exec_SELECTquery#442 // t3lib_DB->explain#237</pre>	row_count	7		explain	0	<table border="1"> <tr> <td>Id</td><td>1</td></tr> <tr> <td>select_type</td><td>SIMPLE</td></tr> <tr> <td>table</td><td>pages</td></tr> <tr> <td>type</td><td>ref</td></tr> <tr> <td>possible_keys</td><td>parent</td></tr> <tr> <td>key</td><td>parent</td></tr> </table>	Id	1	select_type	SIMPLE	table	pages	type	ref	possible_keys	parent	key	parent
0	query	<pre>SELECT * FROM pages WHERE plid=1 AND pages.deleted=0 AND (pagesstarttime<=1240607040) AND (pagesendtime=0 OR pagesendtime>1240607040) AND NOT (pages.t3ver_state>0) AND pages.doktype<200 AND (pages pages.fe_group IS NULL OR pages.fe_group='0' OR (pages.fe_group LIKE '%,0,%' OR pages.fe_group pages.fe_group LIKE '%,0' OR pages.fe_group='0') OR (pages.fe_group LIKE '%,-2,%' OR pages.fe_group OR pages.fe_group LIKE '%,-2' OR pages.fe_group=' -2') OR (pages.fe_group LIKE '%,1,%' OR pages '1,%' OR pages.fe_group LIKE '%,1' OR pages.fe_group='1')) ORDER BY sorting</pre>																								
trall		<pre>require#76 // include#446 // TSpagegen::renderContent#77 // tslib_cObj->cObjGet#332 // tslib_cObj->cObjGetSingle#444 // tslib_cObj->TEMPLATE#578 // tslib_cObj->cObjGetSingle#2473 // tslib_cObj->HMENU#535 // tslib_menu->makeMenu#1390 // tslib_pageSelect->getMenu#830 // t3lib_DB->exec_SELECTquery#442 // t3lib_DB->explain#237</pre>																								
row_count	7																									
explain	0	<table border="1"> <tr> <td>Id</td><td>1</td></tr> <tr> <td>select_type</td><td>SIMPLE</td></tr> <tr> <td>table</td><td>pages</td></tr> <tr> <td>type</td><td>ref</td></tr> <tr> <td>possible_keys</td><td>parent</td></tr> <tr> <td>key</td><td>parent</td></tr> </table>	Id	1	select_type	SIMPLE	table	pages	type	ref	possible_keys	parent	key	parent												
Id	1																									
select_type	SIMPLE																									
table	pages																									
type	ref																									
possible_keys	parent																									
key	parent																									

Admin Panel für Administratoren

Admin Panel für Redakteure

⊖ ADMIN PANEL: editor1 Update


⊖ Preview

Show Hidden Pages:

Show Hidden Records:

Simulate Time: 21:34 14-5-2009

Simulate User Group: [1] Customers ▾



jweiland.net

Admin Panel mit Frontend Editing

The screenshot shows the TYPO3 Backend configuration interface for an 'ADMINSID' entry. On the left, there's a sidebar with a 'config.admPanel' button and some icons. The main area has a title 'Für Admin-Benutzer werden. In bestehenden Eintrag eingetragen' and a 'config.admPanel' button. A tree view on the right shows 'ADMIN PANEL: editor2' expanded, with 'Preview' and 'Editing' branches. Under 'Editing', there are four checkboxes: 'Display Edit Icons' (checked), 'Display Edit Panels' (checked), 'Editforms on-page' (checked), and 'No popup window' (checked). To the right of these checkboxes are four small preview icons. At the bottom right is a 'Update' button.

Für Admin-Benutzer werden. In bestehenden Eintrag eingetragen

config.admPanel

config.admPanel

ADMIN PANEL: editor2

+ Preview

- Editing

Display Edit Icons:

Display Edit Panels:

Editforms on-page:

No popup window:

Update

Open TYPO3 Backend



User Optionen

options.clearCache.pages




jweiland.net

options.shortCutFrame




jweiland.net

options.shortCutFrame




jweiland.net

options.createFoldersInEB




jweiland.net

options.createFoldersInEB



jweiland.net

options.createFoldersInEB



jweiland.net

options.saveDocNew



jweiland.net

options.saveDocNew




jweiland.net

options.saveDocNew




jweiland.net


options.pageTree.showPageIdWithTitle



options.pageTree.showPageIdWithTitle




options.pageTree. altElementBrowserMountPoints




,weiland.net

options.pageTree. altElementBrowserMountPoints



,weiland.net

User Setup




setup.default....

setup.override....


jweiland.net

setup.override.edit_docModuleUpload




jweiland.net

setup.override.edit_docModuleUpload



jweiland.net

```
setup.override.thumbnailsByDefault = 1  
setup.override.saveTreePositions = 1  
setup.override.edit_RTE = 1  
setup.override.allSaveFunctions = 1  
setup.override.navFrameResizable = 1  
  
setup.default.copyLevels = 5
```



Backend Module

mod.SHARED.colPosList

The screenshot shows the TYPO3 Backend interface for managing page content. At the top, there's a toolbar with a question mark icon, a 'Columns' button, and a sorting icon. Below the toolbar, the title 'Pagecontent' is displayed with a document icon.

Below the title, there are four buttons: 'Edit page properties', 'Move page', 'New page', and 'New content'. On the far left, there's a question mark icon above a vertical bar labeled 'LEFT' with a document icon below it.

The main content area is divided into three columns: 'NORMAL' (center), 'RIGHT' (right), and 'BORDER' (left). The 'NORMAL' column contains a toolbar with icons for edit, calculate, and other functions. Below the toolbar, there's a section titled 'Default Text' with a text editor icon, a plus sign icon, a dropdown menu icon, a cache icon, and a trash can icon. The text 'Index: Yes' is shown below this section.

A blue information icon is followed by the text 'Cache Löschen'. Below this, there's a detailed explanation in German:

In der Standardkonfiguration kann der Redakteur den Selten-Cache nicht löschen. Der folgende TSconfig Code schaltet die Option für das Leeren des Caches ein:
options.clearCache.pages = 1

jw-webdesign.net

mod.SHARED.colPosList

Columns

Pagecontent

[Edit page properties](#) [Move page](#) [New page](#) [New content](#)


NORMAL

Default Text

Index: Yes


Cache löschen
In der Standardkonfiguration kann der Redakteur den Seiten-Cache nicht löschen.
Der folgende TSCONFIG Code schaltet die Option für das Leeren des Caches ein:
`options.clearCache.pages = 1`
Mit Hilfe von

mod.web_layout.menu.function




jweiland.net

mod.web_layout.menu.function



jweiland.net

mod.web_layout.menu.function



web_list, web_info, txdamM1_list...

jweiland.net

TCEMAIN.clearCacheCmd



jweiland.net

TCEMAIN.clearCacheCmd



jweiland.net

TCEMAIN.clearCacheCmd = 28,31,30



TCAdefaults.[table].[field]


jweiland.net

TCAdefaults.[table].[field]

TCAdefaults.tt_news.author = John Doe

TCAdefaults.[table].[field]

TCAdefaults.tt_news.author = John Doe



people
through
organ
donation.

2000 of the
population are
registered donors.
are waiting
will get a
transplant

PRINTED NAME:
ADDRESS:

DATE:
NEXT OF KIN:

NEXT OF KIN ADDRESS:

NEXT OF KIN TEL. NO:

SIGNATURE: (please keep your signature within the
box, straying outside will invalidate the form)

I WANT TO DONATE:

Would you like a silencer with the Donor Tag? Yes No
If yes select a colour: red, yellow, blue, green, orange, pink, black


Your signature will be kept on our system for our records. Your Donor Tags will be stamped with your details and
posted to you. Please wear them and don't forget to tell your friends and family your wishes.

Formulare

TCEFORM.[table].[field].label.default

jweiland.net

TCEFORM.[table].[field].label.default




jweiland.net

TCEFORM.[table].[field].label.default

TCEFORM.tt_news.short.label.default =


Teaser Text



TCEFORM.[table].[field].label.default

TCEFORM.tt_news.short.label.default =

Teaser Text



TCEFORM.[table].[field].disable = 1

② Allowed excludefields:

- Page: Type
- Page: TSconfig
- Page: Stop page tree
- Page: Is root of website
- Page: General Record Storage page
- Page: Restrict editing by non-Admins
- Page: Hide page
- Page: Start
- Page: Stop
- Page: Layout
- Page: Access
- Page: Include subpages
- Page: Navigation title
- Page: Hide in menu
- Page: Subtitle
- Page: Target

TCEFORM.[table].[field].config.[key]


jweiland.net

TCEFORM.[table].[field].config.[key]

Override TCA field configuration:


TCEFORM.tt_content.media.config.max_size = 102400
TCEFORM.tt_content.media.config.max_items = 100

TCEFORM.[table].[field].altLabels




jweiland.net

TCEFORM.[table].[field].altLabels




jweiland.net

TCEFORM.[table].[field].removeItems




jweiland.net

TCEFORM.[table].[field].removeItems




jweiland.net

TCEFORM.[table].[field].addItems



jweiland.net

TCEFORM.[table].[field].addItems




jweiland.net


Rich Text Editor



Editor Toolbar




Editor Toolbar



Text:

② Geben Sie hier den wesentlichen Inhalt ein.



The different product groups made by KERN-LIEBERS are bundled into four business segments. You can get more information on each segment by clicking it

-  → [Strip springs](#)
-  → [Wire Springs](#)
-  → [Stamping](#)
-  → [Components for textile machines](#)

Text:

② Geben Sie hier den wesentlichen Inhalt ein.

Absatz: Standard

B I

The different business segments

→ <Spartenlink blau>
→ <Spartenlink gruen>
→ <Spartenlink orange>
→ <Spartenlink gelb>

→ <Spartenlink weiss>

<Überschrift blau>
<Überschrift grün>
<Überschrift orange>
<Überschrift grau>

<Text Graukeil>
<Überschrift Fließtext>
<Weitere Informationen>

<h4>
Übersicht, Produktliste
Übersicht, Produktliste Fedem
Übersicht, Firma
Übersicht, Produktsparte Fedem



LIEBERS are bundled into four segments. Click on each segment by clicking its name.

Dokumentation




Dokumentation



Dokumentation

TSconfig Referenz verfügbar unter:



Dokumentation

TSconfig Referenz verfügbar unter:

[http://typo3.org/documentation/document-library/
core-documentation/doc_core_tsconfig/4.2.0/view/](http://typo3.org/documentation/document-library/core-documentation/doc_core_tsconfig/4.2.0/view/)

Dokumentation

TSconfig Referenz verfügbar unter:

[http://typo3.org/documentation/document-library/
core-documentation/doc_core_tsconfig/4.2.0/view/](http://typo3.org/documentation/document-library/core-documentation/doc_core_tsconfig/4.2.0/view/)

<http://jweiland.net/uploads/media/TSconfig-4.2.pdf>

Jochen Weiland

jweiland@jweiland.net

Skype: jweiland58

jweiland.net

